

FlexNet Code Insight 6.13.3

Quick Start Guide

Legal Information

Book Name: Part Number: FlexNet Code Insight 6.13.3 Quick Start Guide FNCI-6133-QSG00

Product Release Date:

December 2019

Copyright Notice

Copyright © 2019 Flexera.

This publication contains proprietary and confidential information and creative works owned by Flexera and its licensors, if any. Any use, copying, publication, distribution, display, modification, or transmission of such publication in whole or in part in any form or by any means without the prior express written permission of Flexera is strictly prohibited. Except where expressly provided by Flexera in writing, possession of this publication shall not be construed to confer any license or rights under any Flexera intellectual property rights, whether by estoppel, implication, or otherwise.

All copies of the technology and related information, if allowed by Flexera, must display this notice of copyright and ownership in full.

Intellectual Property

For a list of trademarks and patents that are owned by Flexera, see https://www.flexerasoftware.com/legal/intellectual-property.html. All other brand and product names mentioned in Flexera products, product documentation, and marketing materials are the trademarks and registered trademarks of their respective owners.

Restricted Rights Legend

The Software is commercial computer software. If the user or licensee of the Software is an agency, department, or other entity of the United States Government, the use, duplication, reproduction, release, modification, disclosure, or transfer of the Software, or any related documentation of any kind, including technical data and manuals, is restricted by a license agreement or by the terms of this Agreement in accordance with Federal Acquisition Regulation 12.212 for civilian purposes and Defense Federal Acquisition Regulation Supplement 227.7202 for military purposes. The Software was developed fully at private expense. All other use is prohibited.

Contents

FlexNet Code Insight 6.13.3 Quick Start	5
Introduction	6
Launching FlexNet Code Insight	6
Manually Applying Electronic Updates	6
Adding FlexNet Code Insight User Logins	7
Creating a Team	
Creating a Project	
Changing Project Settings	9
Creating a Workspace	11
Managing Project Inventory	
Running Reports	13
Making a Request	14
Using Detector	15
Detector Forensic Analysis	16

Contents

FlexNet Code Insight 6.13.3 Quick Start

- Introduction
- Launching FlexNet Code Insight
- Manually Applying Electronic Updates
- Adding FlexNet Code Insight User Logins
- Creating a Team
- Creating a Project
- Changing Project Settings
- Creating a Workspace
- Managing Project Inventory
- Running Reports
- Making a Request
- Using Detector
- Detector Forensic Analysis

Introduction

FlexNet Code Insight is an application security solution targeting the widespread use of open source software (OSS). FlexNet Code Insight's unique software composition analysis technology captures the composition of a code base, and provides your team with an inventory of OSS component usage. The resulting inventory identifies security vulnerabilities and intellectual property issues associated with the inventoried OSS components.

To quickly start using FlexNet Code Insight and become familiar with its features and capabilities, perform the exercises presented in this Quick Start Guide.

Launching FlexNet Code Insight

To launch FlexNet Code Insight, perform the following steps.

sk	To l	aunch FlexNet Code Insight, do the following:
	1.	Launch a web browser and open the following URL:

http://localhost:8888/palamida/

- 2. Login into FlexNet Code Insight using the following credentials:
 - User name: admin
 - **Password**: Password123

Manually Applying Electronic Updates

The first time FlexNet Code Insight starts up, it needs to obtain the latest component and license metadata, and tries to do this automatically using the HTTPS protocol. If, for some reason, the FlexNet Code Insight server is blocked from obtaining these files, you will have to manually download and apply these files.

🛅 Task


Tas

To manually apply electronic update to FlexNet Code Insight, do the following:

1. Download the following FlexNet Code Insight files:

File	Download Location
update_manifest.txt	Contact Technical Support
update.zip	Contact Technical Support

- 2. Log in to FlexNet Code Insight as the administrator, as described in Launching FlexNet Code Insight. The FlexNet Code Insight home page opens.
- 3. From the Administration menu, click Updates.



4. When prompted to upload the manifest and data files, browse to the downloaded files for both the manifest (update_manifest.txt) and data (update.zip) files and click **Update**.

Adding FlexNet Code Insight User Logins

When you first install FlexNet Code Insight, there is just one user: **admin**. To add more user logins, perform the following steps.



Task

To add FlexNet Code Insight user logins, do the following:

- 1. Login to FlexNet Code Insight.
- 2. On the Administration menu, click Import.



The Import screen opens.

- 3. Select Download a sample workbook for bulk user import and download the sample workbook.
- 4. Return to the Import screen, browse for the file you just downloaded, and click Import. Users will be added.
- 5. To view the new users, select Users on the Administration menu.
- **6.** To set the permissions and passwords for these new users, edit user and assign rights and set the passwords. In the following example, the **owner** user is being assigned all of the FlexNet Code Insight rights.

■ Login	owner	System Administrator	
First Name	Owner	Policy Administrator	V
Middle Name	(owner)	Scripting Administrato	V
Last Name	Smith	Requester	V
Email	user@email.com	Reviewer	V
Job Title		Participant	V
Business Unit			
Location			
Telephone	415-555-1212		
Facsimile			
Login Question	company		
Login Answer	palamida		
Lock Account			
Generate Password			
Password			
Confirm Password			

Creating a Team

To group several users into a team, perform the following steps.

Task To create a team, do the following: 1 1

- 1. While you are logged in as the Administrator, create a team. All projects will have an Owner and belong to a Team or organization usually responsible for the software project.
- 2. Under Administration on the top toolbar, click the Teams link.
- 3. Click Add New Team.
- 4. Give the team a name but do not fill in the scan folder restrictions.

Creating a Project

To create a project, perform the following steps.

Task

To create a project, do the following:

- 1. While you are logged in as the *Administrator*, create a project.
- 2. Under the Administration drop-down at the top toolbar, click the Projects link.

3. Click Add New Project.

4. Select the team you just made and make the project owner the user: Owner and give the project the name of "E-portal 1.3" (this is the name of the code base we are going to scan.)

Changing Project Settings

To change project settings, perform the following steps.

Task	То с	hange project settings, do the following:
	1.	Log out and log in as Owner with the password that you inserted for this user.
	2.	Select My Projects on the top toolbar to see <i>e-Portal 1.3</i> .
	3.	Click the Edit Project icon in the Actions column

My Projects

Basic Search Advanced Search Filter: In Progress Projects	5	~	Search:			Q			
Name 🔺	Team			Owner	Status	Inventory	Requests	Tasks	Actions
E-Portal 1.3	Dev Tex	am		Owner Smith	In Progress	15	4	5	10 12

- 4. In the first tab, "General Information", perform the following changes:
- 5. Change the Request Form to Short Request Form Definition.
- 6. Check off all Advanced Options in particular is the Auto-Publish System-Detected Inventory.
- 7. Add a Review Level called Legal Review.

General Information	Observers	QuickReview Facilit	tators	Auditors	Security Analysts	Requesters	Legal Review	
Name			E-Porta	al 1.3				
Description			A project is a specific version of an application in which to manage the third-party materials within it as well as related licensing, obligations, and security vulnerabilities. This project scans a sample code-base for use with Palamida Enterprise Edition tutorials and evaluations.					e •
Team			Dev Te	eam				~
Owner				Owner Smith (owner)				
Project Summary Email Frequency			Monthly					~
Request Review I	Reminder E	nail Frequency	Week			-		*
Request Form			Short Request Form Definition					~
			🗹 Auto	-Publish	tory Quick Review System-Detected s to Inventory	Inventory		
Review Levels							Add Review	v Level
			Review	v Level				
			Legal R	leview			(20
Aliased Project			Add Alia	ased Projec	CUT INCIDENCE ANIASEO F	roject		

- 8. For each **Review Level** created, a new tab is added to the **Project Details** with the same name given for the Review Level. You must associate users who are allowed to approve project requests.
- 9. On the Legal Review tab, add the *owner* as a user allowed to approve requests.

General Information	Observers	QuickReview	Facilitators	Auditors	Security Analysts	Requesters	Legal	Review
Manager Review							Use	er Lists
Search:		Q		8	Delete Reviewer	Add Reviewers	Jea	rch:
First Name 🔺	Last	Name	Email					User List Na
Owner	Smith	1	user@	email.com				

10. Add a user able to submit new requests in the project by clicking on the **Requesters** tab and adding the **Requester1** user.

Ger	Seneral Information Observers		QuickReview	Facilitators	Auditors	Security Analysts	Requesters	Lega	al Review
Re	questers						\leq	Us	er Lists
Sea	irch:		P		0	Delete Requester	Add Requesters	Bea	arch:
	First Name 🔺	Last	lame	Email					User List N
	Requester1	One		user@	email.com				

11. Save the changes for the project.

Creating a Workspace

To create a workspace, perform the following steps.

📋 Task

To create a workspace, do the following:

- 1. Log out and then log in as *Owner* with the password that you inserted for this user.
- 2. Select My Projects on the top toolbar to see *e-Portal 1.3*.
- 3. Click the blue hyperlink for this project and go to the **Workplaces** tab.

ummary	Workspaces	Inventory	Requests	Tasks	Policies	Comments	
--------	------------	-----------	----------	-------	----------	----------	--

4. Click Create New Workspace.


- 5. Give the workspace a name (no spaces, periods, or special characters) and accept the default scanner that is indicated (set to **scanner1** by default).
- On the next screen, in the Folders to scan section, browse to [palamida install directory]\docs\tutorial\ePortal-1.3\.
- 7. Save the settings and return to the **Workspaces** page.
- 8. Click the hyperlinked name of the workspace and on the next page, click Schedule Scan/Report.

Schedule Scan/Report	Workspace Resources - 🐻 Workspace Operations -
Name	test
Server	Scanner2
Created On	07/18/2012 11:53
Last Scanned	
Audit Progress	There are no scanned files for this workspace.

9. A good report to include with your scan is the **Third-Party Indicators Report**, so check this report and select **Scan + Report**.

Schedule Scan/Report × Name 🔺 File Evidence Map Report Forensic Data-Copyright Matches Forensic Data-File Matches Forensic Data-Namespace Matches Forensic Data-Scan Forensic Data-Search Term Matches Forensic Data-Source Code Matches License Detection Evidence Report Scanned Files Report Third-Party Indicators Report Report Scan + Report Cancel Scan

10. Select Scheduler on the top toolbar to view the status of scans, reports, and other tasks:




Managing Project Inventory

To manage project inventory, perform the following steps.

Task	To manage project inventory, do the following:

1. Log into FlexNet Code Insight as *Owner*. All projects the user has access to in the system are displayed in the **Dashboard** along with some additional information.



- 2. On the **Dashboard**, click the name of the E-Portal 1.3 project.
- 3. Click the Inventory tab to see any auto-published bills of material.
- 4. Click an item's name (for example, hibernate 3.1.3).

Basic Search Advanced Search Filter: All Inventory Items V Search:														
ld 🔺	Name	Component	License	# Files	40	A		۷	9	Priority	Review Status	Acti.		
1	zlib 1.2.3	zlib 1.2.3	zlib/libpng License	1	-	-	-	-	-	4 - Low	Ready for Review			
2	wsdl4j 1.5.1	wsdl4j 1.5.1	Common Public License 1.0	1	-	-	-	-	-	2 - High	Ready for Review			
3	samba-jcifs 1.2.19	samba-jcifs 1.2.19	GNU Lesser General Public License v2	1	-	-	-	-	-	2 - High	Ready for Review			
4	prototype 1.6.0.2	prototype 1.6.0.2	MIT license (also X11)	3	-	-	-	-	-	4 - Low	Ready for Review			
5	json-lib 2.3	json-lib 2.3	Apache License 2.0	1	-	-	-	-	-	4 - Low	Ready for Review			
6	joda-time 1.3	joda-time 1.3	Apache License 2.0	1	-	-	-	-	-	4 - Low	Ready for Review			
7	idom project 1	jdom-project 1	JDOM Apache-Style License	1	-	-	-	-	-	4 - Low	Ready for Review			
8 🤇	hibernate 3.1.3	hibernate 3.1.3	GNU Lesser General Public License v2.	1	-	-	-	-	-	2 - High	Ready for Review			
9	ezmorph 1.0.6	ezmorph 1.0.6	Apache License 2.0	1	-	-	-	-	-	4 - Low	Ready for Review			
10	dwr 2.0.1	dwr 2.0.1	Apache License 2.0	1			-			4 - Low	Ready for Review			

5. Investigate the license detail information. If the shield icon is red, the component/version contains vulnerabilities and can be shown.

	/ If Red, view vulnerabilities
Component: hibernate 3. License: GNU Lesser Genu Inventory Details	
Inventory Name	hibernate 3.1.3 License Detail QuickReview – Approve/Reject
Inventory Id	8
Component Description	Hibernate - Relational Persistence for Idiomatic Java
Possible Licenses	GNU Lesser General Public License v2.1 😰 👩 🏴 Edit Possible Licenses List
As-Found License Text	View As-Found License Text
Number of Files	1 File 🧿
Review Status	Acady for Review This inventory item is ready to be reviewed.
Auditor Notes	None
Detection Notes	Detection Confidence: 100% Supporting Evidence: Multi-Indicator: System rule 106319: MID Rule for Hibernate
Disclosed	No

- 6. To perform a Quick Approval or Rejection, select the Change Inventory Status drop-down.
- 7. Since the Owner also has Policy Administration rights, you are prompted to create an automatic policy for this component. By creating a policy, the next time this component is inventoried it will be automatically approved or rejected based on the selected inventory status.

Running Reports


To run reports, perform the following steps.

Task

To run reports, do the following:

- 1. Click the **Reports** icon on the top toolbar.
- 2. Select the FlexNet Code Insight Report.
- 3. Select the Report Scope for the created Team and Project.
- 4. Click Generate to run the report.

5. Click the components, licenses and vulnerabilities links to see third-party inventory details.



Making a Request

To make a request, perform the following steps.

Task	To r	nake a request, do the following:
	1.	Log out and log back into FlexNet Code Insight as <i>Requester1</i> , using the same password as <i>Owner</i> .
		Welcome Requester1 🏖 My Settings 🛟 Help 🖏 Logout
		Note • We gave permission to Requester1 to create requests for the E-Portal 1.3 project in Changing Project Settings.
	2.	Click the E-Portal 1.3 link in the dashboard.
	3.	Click the Requests tab and select Add New Request .

Summary	Inventory	Reques	ts	Tasks	Policies	Comments						
Basic Sea	rch Advanced	Search	Filter:	All Req	uests		*	Search:	9		O Add	New Request
ld 👻	Requester		Comp	onent			Lice	nse	Review Deadline	Status	Reviewed By	Actions

- **4.** Fill out the form by searching for a component (for example, zlib), identifying the versions and license for the request, and then answering any required questions (identified by the red square).
- 5. Click Submit.

•	Component Name:
	zib Search Component Any Component View Component Versions View Component Metadata
•	Component Version:
	1.2.5 X Add Version
•	License Name:
	zib/lbpng License View License Details
•	Project Name:
	test 🔍
	Review deadline: - MM/DD/YYYY
	02/08/2013
• E	Does this component perform "cryptography", or otherwise contain any parts or components that are capable of performing "information security" functions? (<u>More Information</u>) Ves No
• [1]	security" functions? (More Information)
	security" functions? (<u>More Information</u>) © Yes © No Will this component be modified, re-compiled, or repackaged with any other software?
•	security" functions? (<u>More Information</u>) © Yes © No Will this component be modified, re-compiled, or repackaged with any other software? © Yes © No
•	security" functions? (<u>More Information</u>) © Yes © No Will this component be modified, re-compiled, or repackaged with any other software? © Yes © No What is the intended usage of this component?

Using Detector

¢


To use Detector, follow the procedures in this section.

Task To start and use Detector, do the following:

- 1. Log out and log back in as the *Owner* of the project.
- 2. On the Dashboard, click the name of the E-Portal 1.3 project.
- 3. Go to the Workspaces tab and click the Detector Launch icon in the Actions column.



- 4. To show automated findings, open the **Groups** tab, select a group (for example, **Files with GNU General Public** License v2.0) and double-click to view files in the tree browser.
- 5. Click Expand Folder in the lower left to display files that are contained in the selected group.



Now you may decide to classify these files into new groups which may help organize your inventory, for example when we click one of the bold names, which indicates that this is an exact bit-for-bit MD5 match.

6. Highlight the stack.h file and in the lower center panel, and select the Exact Matches tab.

Node: stack.h MD5: 58618ca8a8317fd392de311cb99d5bef							
Summary	Exact Matches Partial Matches Tags Groups						
Show: All	Matches Contains:						
Mark	Compo						
	🏴 gaim-blogger						

- 7. One project, Gaim-Blogger, appears. This file is an exact match to a project component in the compliance library.
- 8. Select the checkbox next to the Gaim Blogger component. The Add to Group dialog appears.
- 9. Click Create Group. Some of the fields have been auto populated.
- **10.** Fill in as much of the data as you can and click **Save**.
- 11. Find the group you just created in the Groups tab, select it and click Publish.

Welcome	Groups Tags Filters Components Licenses Search	n Terms	Copyrights	
1	Select All Clear All	Publis	h Rec	all
ID	Name 🔉	Priority	Component	Licen
16	ezmorph 1.0.6	4 - Low	ezmorph	Apach
47	Files with 'Apache License 2.0' References	4 - Low		Apach

12. Go back to your inventory in the web interface and confirm that the **Gaim Blogger** group has been added as a name in the inventory.



Note • Select the **Show all** option on the bottom to see all inventory items on one page. Otherwise, click through to see the pages.

Detector Forensic Analysis

To perform forensic analysis of the Detector, perform the following steps.

Task

To perform forensic analysis of the Detector, do the following:

- 1. Go to the Detector client and select the group, Files with GNU General Public License v2.0.
- 2. Expand the tree to see which files are in the group.
- 3. Select the file xmlrpc.c, which has a red exclamation point, which indicates that there is a partial match with this file and signatures in our library.
- 4. Click the **Partial Matches** tab and click the colored checkboxes at the top of the panel to show where in the code there are copyright, URL, license matches or search terms.
- 5. Select the Source Matches checkbox.

Node: xmlrpc.c MD5: 7e0ca84a44501336f9ab74a2b42540c9									
Summary	Summary Exact Matches Partial Matches Tags Groups								
🔲 Соруг	Copyrights Email/URLs License Matches Search Terms V Source Matches								
Show: All	Matches	▼ Contains:	×	Q					
				~					
, Mark	Matched File	Component : Release	-	CR %	CV %	CL %	υ%	Matches	
Mark	Matched File			CR %		CL % 94.03			
		Component : Release		CR %	100.00		100.00	329	

- **6.** Two projects from the library appear. Next to these two projects you will see the code rank score, which is an aggregate score factoring in code uniqueness (U), contiguousness (CL) and coverage (CV). This ranking gives the person performing the audit clues as to the provenance of the file under analysis.
- 7. Once the auditor decides on the origin of the file they can the mark it (in this case, mark it as gaim-blogger-0.69.tar.gz).
- 8. In the Group dialog add it to the existing Gaim Blogger group.

Chapter FlexNet Code Insight 6.13.3 Quick Start

Detector Forensic Analysis